

Published Articles - Cardiovascular

Assessing the effectiveness of primary angioplasty compared with thrombolysis and its relationship to time delay: a Bayesian evidence synthesis, Asseburg C;Vergel YB;Palmer S;Fenwick E;de BM;Abrams KR;Sculpher M;, 2007, *Heart*, 93

Economic evaluation of coronary artery bypass grafting surgery with and without cardiopulmonary bypass: cost-effectiveness and quality-adjusted life years in a randomized controlled trial, Al-Ruzzeh S;Epstein D;George S;Bustami M;Wray J;Ilsley C;Sculpher M;Amrani M;, 2008, *Artif Organs*, 32

The cost-effectiveness of beta-radiation therapy for treatment of in-stent restenosis: an analysis at 290-day follow-up, Beusterien KM;Plante KM;Waksman R;Raizner AE;Annis M;Goss TF;, 2002, *Cardiovasc Radiat Med*, 3

Interventional cardiovascular procedures among HIV-infected individuals on antiretroviral therapy 1995-2000, Braitstein P;Yip B;Heath KV;Levy AR;Montaner JS;Humphries K;Kiely FM;O'Shaughnessy MV;Hogg RS;, 2003, *AIDS*, 17

Is primary angioplasty cost effective in the UK? Results of a comprehensive decision analysis, Bravo VY;Palmer S;Asseburg C;Fenwick E;de BM;Abrams K;Sculpher M;, 2007, *Heart*, 93

Cost effectiveness of perindopril in reducing cardiovascular events in patients with stable coronary artery disease using data from the EUROPA study, Briggs A;Mihaylova B;Sculpher M;Hall A;Wolstenholme J;Simoons M;Deckers J;Ferrari R;Remme WJ;Bertrand M;Fox K;, 2007, *Heart*, 93

Nurse-led education sets out to improve patient concordance and prevent recurrence of leg ulcers, Brooks J;Ersser SJ;Lloyd A;Ryan TJ;, 2004, *J Wound Care*, 13

Cost-effectiveness of catheter ablation in patients with ventricular tachycardia, Calkins H;Bigger JT;Ackerman SJ;Duff SB;Wilber D;Kerr RA;Bar-Din M;Beusterien KM;Strauss MJ;, 2000, *Circulation*, 101

The credibility of health economic models for health policy decision-making: the case of population screening for abdominal aortic aneurysm, Campbell H;Briggs A;Buxton M;Kim L;Thompson S;, 2007, *J Health Serv Res Policy*, 12

The clinical and cost-effectiveness of left ventricular assist devices for end-stage heart failure: a systematic review and economic evaluation, Clegg AJ;Scott DA;Loveman E;Colquitt J;Hutchinson J;Royle P;Bryant J;, 2005, *Health Technol Assess*, 9

Clinical and cost-effectiveness of left ventricular assist devices as destination therapy for people with end-stage heart failure: a systematic review and economic evaluation, Clegg AJ;Scott DA;Loveman E;Colquitt J;Royle P;Bryant J;, 2007, *Int J Technol Assess Health Care*, 23

Clinical and cost-effectiveness of left ventricular assist devices as a bridge to heart transplantation for people with end-stage heart failure: a systematic review and economic evaluation, Clegg AJ;Scott DA;Loveman E;Colquitt JL;Royle P;Bryant J;, 2006, *European Heart Journal*, 27

Treatment benefit of perindopril in patients with stable coronary artery disease at different levels of risk., Deckers J;Goedhart DM;Boersma E;Briggs A;Bertrand M;Ferrari R;Remme WJ;Fox K;Simoons M;, , European Heart Journal, 27

Persistency and clinical outcomes associated with latanoprost and beta-blocker monotherapy: evidence from a European retrospective cohort study, Diestelhorst M;Schaefer CP;Beusterien KM;Plante KM;Fain JM;Mozaffari E;Dhawan R;, 2003, Eur J Ophthalmol, 13 Suppl 4

Costs of an early intervention versus a conservative strategy in acute coronary syndrome, Epstein DM;Sculpher MJ;Clayton TC;Henderson RA;Pocock SJ;Buxton MJ;Fox KA;, 2008, Int J Cardiol, 127

Modelling the long-term cost-effectiveness of endovascular or open repair for abdominal aortic aneurysm, Epstein DM;Sculpher MJ;Manca A;Michaels J;Thompson SG;Brown LC;Powell JT;Buxton MJ;Greenhalgh RM;, 2008, British Journal of Surgery, 95

Assessing the impact of censoring of costs and effects on health-care decision-making: an example using the Atrial Fibrillation Follow-up Investigation of Rhythm Management (AFFIRM) study, Fenwick E;Marshall DA;Blackhouse G;Vidaillet H;Slee A;Shemanski L;Levy AR;, 2008, Value Health, 11

Using and interpreting cost-effectiveness acceptability curves: An example using data from a trial of management strategies for atrial fibrillation., Fenwick E;Marshall DA;Levy AR;Nichol G;, 2006, BMC Health Services Research, 6

Modeling payback from research into the efficacy of left-ventricular assist devices as destination therapy, Girling AJ;Freeman G;Gordon JP;Poole-Wilson P;Scott DA;Lilford RJ;, 2007, Int J Technol Assess Health Care, 23

Clinical evaluation of magnetic resonance imaging in coronary heart disease: The CE-MARC study., Greenwood JP;Mardedia N;Radjenovic A;Brown J;Nixon J;Farrin AJ;Dickinson C;Younger JF;Ridgeway JP;Sculpher M;Ball SG;Plain S;, , Trials, 10

Cost effectiveness of clinically appropriate decisions on alternative treatments for angina pectoris: prospective observational study, Griffin SC;Barber JA;Manca A;Sculpher MJ;Thompson SG;Buxton MJ;Hemingway H;, 2007, British Medical Journal, 334

Modelling the cost effectiveness of cardiac interventions: the case of sirolimus-eluting stents., Hawkins N;Sculpher MJ;Rothman M;, 2005, Cardiology, 12

Transcranial Doppler-directed Dextran-40 therapy is a cost-effective method of preventing carotid thrombosis after carotid endarterectomy, Hayes PD;Lloyd AJ;Lennard N;Wolstenholme JL;London NJ;Bell PR;Naylor AR;, 2000, Eur J Vasc Endovasc Surg, 19

Patients' thromboembolic potential between bilateral carotid endarterectomies remains stable over time, Hayes PD;Payne D;Lloyd AJ;Bell PR;Naylor AR;, 2001, Eur J Vasc Endovasc Surg, 22

Long-term results of RITA-1 trial: clinical and cost comparisons of coronary angioplasty and coronary-artery bypass grafting. Randomised Intervention Treatment of Angina, Henderson RA;Pocock SJ;Sharp SJ;Nanchahal K;Sculpher MJ;Buxton MJ;Hampton JR;, 1998, Lancet, 352

The cost-effectiveness of an early interventional strategy in non-ST-elevation acute coronary syndrome based on the RITA 3 trial, Henriksson M;Epstein DM;Palmer SJ;Sculpher MJ;Clayton TC;Pocock SJ;Henderson RA;Buxton MJ;Fox KA;, 2008, Heart, 94

Clinical effectiveness and cost-effectiveness of clopidogrel and modified-release dipyridamole in the secondary prevention of occlusive vascular events: a systematic review and economic

evaluation, Jones L;Griffin S;Palmer S;Main C;Orton V;Sculpher M;Sudlow C;Henderson R;Hawkins N;Riemsma R;, 2004, Health Technol Assess, 8

Health-related quality of life after interventional or conservative strategy in patients with unstable angina or non-ST-segment elevation myocardial infarction: one-year results of the third Randomized Intervention Trial of unstable Angina (RITA-3), Kim J;Henderson RA;Pocock SJ;Clayton T;Sculpher MJ;Fox KA;, 2005, J Am Coll Cardiol, 45

Modelling the long-term cost-effectiveness of screening for abdominal aortic aneurysms., Kim L;Thompson S;Briggs A;Buxton M;Campbell H;, 2007, Journal for Medical Screening, 14

How cost-effective is screening for abdominal aortic aneurysms?, Kim LG;Thompson SG;Briggs AH;Buxton MJ;Campbell HE;, 2007, J Med Screen, 14

Cost-effectiveness of beta-blocker therapy with metoprolol or with carvedilol for treatment of heart failure in Canada, Levy AR;Briggs AH;Demers C;O'Brien BJ;, 2001, Am Heart J, 142

Time on wait lists for coronary bypass surgery in British Columbia, Canada, 1991-2000, Levy AR;Sobolev BG;Hayden R;Kiely M;Fitzgerald JM;Schechter MT;, 2005, BMC Health Serv Res, 5

Do women spend longer on wait lists for coronary bypass surgery? Analysis of a population-based registry in British Columbia, Canada, Levy AR;Sobolev BG;Kuramoto L;Hayden R;MacLeod SM;, 2007, BMC Cardiovasc Disord, 7

Use of time-dependent measures to estimate benefits of beta-blockers after myocardial infarction, Levy AR;Tamblyn RM;Abrahamowicz M;McLeod PJ;Fitchett D;, 2004, Pharmacoepidemiol Drug Saf, 13

The effect of physicians' training on prescribing beta-blockers for secondary prevention of myocardial infarction in the elderly, Levy AR;Tamblyn RM;McLeod PJ;Fitchett D;Abrahamowicz M;, 2002, Ann Epidemiol, 12

Invited commentary on Pearson et al Cognitive performance in patients after carotid endarterectomy, Lloyd A; Naylor AR;, 2003, Journal of Vascular Surgery, 38

Endovascular and Conventional Aortic Aneurysm Repair: A Comparison of Cognitive Function and Quality of Life, Lloyd AJ; Boyle J;Bell P.R.F.;Naylor AR;, 1999, British Journal of Surgery, 87

Does carotid endarterectomy lead to a decline in cognitive function or health related quality of life?, Lloyd AJ; Hayes PD;London NJ;Bell PR;Naylor AR;, 2004, J Clin Exp Neuropsychol, 26

Prevalence of true vein graft aneurysms: implications for aneurysm pathogenesis, Loftus IM; McCarthy MJ;Lloyd A;Naylor AR;Bell PR;Thompson MM;, 1999, J Vasc Surg, 29

Estimating utility data from clinical indicators for patients with stable angina, Longworth L;Buxton MJ;Sculpher M;Smith DH;, 2005, Eur J Health Econ, 6

Clopidogrel used in combination with aspirin compared with aspirin alone in the treatment of non-ST-segment-elevation acute coronary syndromes: a systematic review and economic evaluation, Main C;Palmer S;Griffin S;Jones L;Orton V;Sculpher M;Henderson R;Sudlow C;Hawkins N;Riemsma R;, 2004, Health Technol Assess, 8

Cost-effectiveness of rhythm versus rate control in atrial fibrillation, Marshall DA;Levy AR;Vidaillet H;Fenwick E;Slee A;Blackhouse G;Greene HL;Wyse DG;Nichol G;O'Brien BJ;, 2004, Ann Intern Med, 141

Polyurethane central venous catheters, hydrochloric acid and 70% ethanol: a safety evaluation, McHugh GJ;Wild DJ;Havill JH;, 1997, *Anaesth Intensive Care*, 25

Enhanced external counterpulsation for the treatment of stable angina and heart failure: a systematic review and economic analysis, McKenna C;McDaid C;Suekarran S;Hawkins N;Claxton K;Light K;Chester M;Cleland J;Woolacott N;Sculpher M;, 2009, *Health Technol Assess*, 13

Cost effectiveness of simvastatin in people at different levels of vascular disease risk: a randomised trial in 20,536 high-risk individuals., Mihaylova B;Briggs A;Armitage J;Parish S;Gray A;Collins R for the Heart Protection Study Collaborative Group;, 2005, *Lancet*, 365

Lifetime cost-effectiveness of simvastatin in a range of risk and age groups derived from a randomised trial of 20,536 people., Mihaylova B;Briggs A;Armitage J;Parish S;Gray A;Collins R for the Heart Protection Study Collaborative Group;, 2006, *British Medical Journal*, 333

Carotid endarterectomy versus angioplasty: A stopped trial, Naylor AR;Bolia A.M>;Smith J.L.;Lloyd AJ;et al;, 1998, *Journal of Vascular Surgery*, 28

Medical costs of treating venous stasis ulcers: evidence from a retrospective cohort study, Olin JW;Beusterien KM;Childs MB;Seavey C;McHugh L;Griffiths RI;, 1999, *Vasc Med*, 4

Medical costs of treating venous stasis ulcers: evidence from a retrospective cohort study, Olin JW;Beusterien KM;Childs MB;Seavey C;McHugh L;Griffiths RI;, 1999, *Vasc Med*, 4

Management of non-ST-elevation acute coronary syndromes: how cost-effective are glycoprotein IIb/IIIa antagonists in the UK National Health Service?, Palmer S;Sculpher M;Philips Z;Robinson M;Ginnelly L;Bakhai A;Abrams K;Cooper N;Packham C;Alfakih K;Hall A;Gray D;, 2005, *Int J Cardiol*, 100

Effective management of stable angina, Petticrew M;Sculpher M;Kelland J;Elliott R;Holdright D;Buxton M;, 1998, *Qual Health Care*, 7

Priority setting for research in health care: an application of value of information analysis to glycoprotein IIb/IIIa antagonists in non-ST elevation acute coronary syndrome, Philips Z;Claxton KP;Palmer S;Bojke L;Sculpher MJ;, 2006, *Int J Technol Assess Health Care*, 22

Cost-effectiveness of alternative strategies for the initial medical management of non-ST elevation acute coronary syndrome: systematic review and decision-analytical modelling, Robinson M;Palmer S;Sculpher M;Philips Z;Ginnelly L;Bowens A;Golder S;Alfakih K;Bakhai A;Packham C;Cooper N;Abrams K;Eastwood A;Pearman A;Flather M;Gray D;Hall A;, 2005, *Health Technol Assess*, 9

Coronary angioplasty versus medical therapy for angina. Health service costs based on the second Randomized Intervention Treatment of Angina (RITA-2) trial, Sculpher M;Smith D;Clayton T;Henderson R;Buxton M;Pocock S;Chamberlain D;, 2002, *European Heart Journal*, 23

Endovascular aneurysm repair and outcome in patients unfit for open repair of abdominal aortic aneurysm (EVAR trial 2): randomised controlled trial., Sculpher MJ;, 2005, *Lancet*, 365

Fondaparinux versus Enoxaparin in non-ST-elevation acute coronary syndromes: short-term cost and long-term cost-effectiveness using data from the Fifth Organization to Assess Strategies in Acute Ischemic Syndromes Investigators (OASIS-5) trial, Sculpher MJ;Lozano-Ortega G;Sambrook J;Palmer S;Ormanidhi O;Bakhai A;Flather M;Steg PG;Mehta SR;Weintraub W;, 2009, *Am Heart J*, 157

A cost utility analysis of laser-assisted angioplasty for peripheral arterial occlusions., Sculpher MJ;Michaels J;McKenna C;Minor J;, 1996, *Assessment in Health Care*, 12

Endovascular aneurysm repair versus open repair in patients with abdominal aortic aneurysm (EVAR trial 1): randomised controlled trial., Sculpher MJ;part of the Trial Management Committee and Writing Committee;, 2005, Lancet, 365

Resource allocation for chronic stable angina: a systematic review of effectiveness, costs and cost-effectiveness of alternative interventions, Sculpher MJ;Petticrew M;Kelland JL;Elliott RA;Holdright DR;Buxton MJ;, 1998, Health Technol Assess, 2

Low doses vs. high doses of the angiotensin converting-enzyme inhibitor lisinopril in chronic heart failure: a cost-effectiveness analysis based on the Assessment of Treatment with Lisinopril and Survival (ATLAS) study. The ATLAS Study Group, Sculpher MJ;Poole L;Cleland J;Drummond M;Armstrong PW;Horowitz JD;Massie BM;Poole-Wilson PA;Ryden L;, 2000, Eur J Heart Fail, 2

Comparative health service costs of coronary angioplasty and coronary artery bypass grafting: randomised intervention treatment of angina (RITA) trial., Sculpher MJ;Seed P;Henderson R;, 1994, , 344

Health service costs of coronary angioplasty and coronary artery bypass surgery: the Randomised Intervention Treatment of Angina (RITA) trial, Sculpher MJ;Seed P;Henderson RA;Buxton MJ;Pocock SJ;Parker J;Joy MD;Sowton E;Hampton JR;, 1994, Lancet, 344

Self-reported Morisky score for identifying nonadherence with cardiovascular medications, Shalansky SJ;Levy AR;Ignaszewski AP;, 2004, Ann Pharmacother, 38

Delay in admission for elective coronary-artery bypass grafting is associated with increased in-hospital mortality, Sobolev BG;Fradet G;Hayden R;Kuramoto L;Levy AR;FitzGerald MJ;, 2008, BMC Health Serv Res, 8

Survival benefit of coronary-artery bypass grafting accounted for deaths in those who remained untreated, Sobolev BG;Fradet G;Hayden R;Kuramoto L;Levy AR;FitzGerald MJ;, 2008, J Cardiothorac Surg, 3

Cumulative incidence for wait-list death in relation to length of queue for coronary-artery bypass grafting: a cohort study, Sobolev BG;Kuramoto L;Levy AR;Hayden R;, 2006, J Cardiothorac Surg, 1

Chances of late surgery in relation to length of wait lists, Sobolev BG;Levy AR;Kuramoto L;Hayden R;, 2005, BMC Health Serv Res, 5

The risk of death associated with delayed coronary artery bypass surgery, Sobolev BG;Levy AR;Kuramoto L;Hayden R;Brophy JM;Fitzgerald JM;, 2006, BMC Health Serv Res, 6

Do longer delays for coronary artery bypass surgery contribute to preoperative mortality in less urgent patients?, Sobolev BG;Levy AR;Kuramoto L;Hayden R;Fitzgerald JM;, 2006, Med Care, 44